

# A New Pyoverdin from *Pseudomonas aeruginosa* R'

Chalerm Ruangviriyachai<sup>a</sup>, Diana Uría Fernández<sup>b</sup>, Regine Fuchs<sup>b</sup>, Jean-Marie Meyer<sup>c</sup> and Herbert Budzikiewicz<sup>b,\*,§</sup>

<sup>a</sup> Department of Chemistry, Faculty of Science, Khon Kaen University, Khon Kaen 40002, Thailand

<sup>b</sup> Institut für Organische Chemie der Universität zu Köln, Greinstr. 4, 50939 Köln, Germany. Fax +49-221-470-5057. E-mail: h.budzikiewicz@uni-koeln.de

<sup>c</sup> Laboratoire de Microbiologie et de Génétique, UPRES-A 7010 du CNRS, Université Louis Pasteur, 28 rue Goethe, 67000 Strasbourg, France

\* Author for correspondence and reprint requests

Z. Naturforsch. **56c**, 933–938 (2001); received July 19, 2001

*Pseudomonas aeruginosa*, Pyoverdin, Siderophore

From a *Pseudomonas aeruginosa* hospital isolate a new pyoverdin was isolated. It is identical with that of *Pseudomonas aeruginosa* strain R except that in the peptide chain L-Gln is missing.